

Still Earth Location



- ▶ **Preamble:** This is a pictorial presentation of the birdlife found at the Still Earth location over a period of years compiled by Anthony North and John Roeters.
- Visible on Google Earth the location has very little native vegetation so the birds observed are predominantly transient and/or migratory. Birds flying overhead have also been included.
- ▶ Birds have been listed under two groupings **Passerines** (birds with three toes forward and one back which facilitates perching) and **Non-Passerines** (birds with two toes forward and two toes back and can have webbing).
- Picture have been downloaded off the Internet where they have not been copyrighted

PASSERINES

Singing Honeyeater (Meliphaga virescens)



New Holland Honeyeater (Phylidonyris novaehollandiae)



Grey-breasted Silvereye (Zosterops lateralis)



White-plumed Honeyeater (Meliphaga penicillata)



Reed-Warbler (Acrocephalus australis)



White-winged Wren (Malurus leucopterus)




Australian Pipit (Anthus novaeseelandiae)



Blackbird (Turdus merula)



House Sparrow (Passer domesticus)



Common Starling (Sturnus vulgaris)



Black-faced Cuckoo-shrike (Coracina novaehollandiae)



Magpie-Lark (Grallina cyanoleuca)



White-backed Magpie (Gymnorhina hypoleuca)



Australian Raven (Corvus coronoides)



Willie Wagtail (Rhipidura leucophrys)



Sunset (Still Earth)



NON-PASSERINES

Galah (Eolophus roseicapillus)



Budgerigar (Melopsittacus undulatus)



Red-rumped Parrot (Psephotus haematonotus)



Stubble Quail (Coturnix pectoralis)



Crested Pidgeon (Ocyphaps lophotes)



Domestic Pidgeon (Columba livia)




Welcome Swallow (Hirundo neoxena)



White-backed Swallow (Cheramoeca leucosternum)



Nankeen Kestrel (Falco cenchroides)



Collared Sparrowhawk (Accipiter cirrocephalus)



Black Kite (Milvus migrans)



Whistling Kite (Haliastur sphenurus)



Black-shouldered Kite (Elanus notatus)



Wedge-tailed Eagle (Aquila audax)



Black-tailed Native Hen (Tribonyx ventralis)



White-faced Heron (Area novaehollandiae)



Little Egret (Egretta garzetta)



White Egret (Egretta alba)



Grey Teal (Anas gibberifrons)



Black Duck (Anas superciliosa)



Freckled Duck (Stictonetta naevosa)



Black Swan (Cygnas atratus)



Western Swamphen (Porphyrio porphyrio)



Spotted Crake (Porzana fluminea)



Azure Kingfisher (Alcyone azurea)



Pied Cormorant (Phalacrocorax melanoleucos)

